

# Network drives

With the help of the connection via the SMB protocol, university members can access the [data drives](#) of the [PC network system](#) of the Jade University of Applied Sciences with high performance - but **only within the campus**. This is done with the help of a file manager.

## Microsoft Windows

**Note:** For devices in the [PC network system](#), the [drives](#) are automatically connected.

### Preparation:

- Start / Computer: Properties / Settings for computer name, domain and workgroup / Change settings.
- Change / Member of: Workgroup: HS-WOE
- Restart the computer

(Windows-) Explorer / Network / Right Mouse Button: Connect Network Drive...

- **Data drive X:**
  - Drive: X:
  - Folder: \\hs-woe.de\data
  - Establish connection with other login information: activated
  - Windows security / username: [domain login](#) (form: ma1150@hs-woe.de)
  - Save login data
- **Home drive Z:**
  - Drive: Z:
  - Folder: \\hs-woe.de\home\c1\<>your username>
    - Example: \\hs-woe.de\home\c1\ma1150
  - Establish connection with other login information: activated
  - Windows security / username: [domain login](#) (form: ma1150@hs-woe.de)
  - Save login data

## Apple OS X

Finder / Connect to Server

- **Data Drive:**
  - Server address: smb://hs-woe.de/data
  - Connect as registered user / name: [domain login](#) (form: ma1150@hs-woe.de)
  - Save password in keychain
- **Home drive:**
  - Server address: smb://hs-woe.de/home/c1/your username>
    - Example: smb://hs-woe.de/home/c1/ma1150
  - Connect as registered user / name: [domain login](#) (Form: ma1150@hs-woe.de)

- Save password in keychain

## Ubuntu Linux

### Preparation:

```
# Installation of the Samba client
sudo apt install smbclient

# Configuration of Samba
nano /etc/samba/smb.conf
```

```
[global]
workgroup = HS-WOE
wins support = no
dns proxy = yes
```

```
reboot
```

GNOME: Files / Other locations / Connect to server ...

- **Data drive:**

- Server address: smb://hs-woe.de/data
- Connect as registered user
  - User name: [default login](#) (Form: ma1150)
  - Domain: HS-WOE
  - Password: <your password>
  - Optional: Never forget password (then the password is stored in the local keychain)
  - Connect
- Optional: Add bookmark and rename to JADE-HS - Data

- **Home drive:**

- Server address:
  - smb://hs-woe.de/home/c1/
- Connect as registered user
  - User name: [default login](#) [form: ma1150]]
  - Domain: HS-WOE
  - Password: <your password>
  - Optional: Never forget password (then the password is saved in the local keychain)
  - Connect
- Optional: Add bookmark and rename to JADE-HS - Home

From:

<https://hrz-wiki.jade-hs.de/> - **HRZ-Wiki**

Permanent link:

<https://hrz-wiki.jade-hs.de/en/tp/datadrives/networkdrive>

Last update: **2024/09/29 12:22**

